

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

All Grades (9-12): Behaviors that Result in Unintentional and Intentional Injuries

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon 1+ days in past 30 days other than for hunting (Q12-QN89)	12.6%	15.2%	12.6%	15.1%	15.6%	14.2%	15.3%	14.7%	12.6%	14.6%	13.9%	10.0%
Carried weapon 1+ days in past 30 days on school property (Q13-QN14)	6.4%	5.7%	5.7%	6.5%	8.2%	5.3%	7.2%	5.9%	6.6%	6.2%	5.3%	4.8%
Didn't go to school 1+ days in past 30 days because felt unsafe (Q14-QN15)	3.0%	2.8%	3.2%	3.0%	3.0%	3.2%	6.1%	3.1%	3.2%	2.4%	2.8%	1.6%
Been in physical fight 1+ times during the past 12 months (Q16-QN18)	28.2%	27.2%	27.5%	26.5%	29.7%	29.5%	30.5%	26.5%	26.8%	23.9%	25.7%	26.5%
Been in a physical fight on school property 1+ times in the past 12 months (Q17-QN20)	11.1%	8.6%	10.7%	10.6%	13.0%	10.2%	12.7%	9.8%	11.2%	9.7%	9.9%	10.9%
Boy/girlfriend hit, slapped, or hurt you in the past 12 months (Q18-QN21)	11.7%	9.8%	9.9%	8.9%	11.0%	9.7%	11.1%	8.2%	9.3%	8.2%	9.8%	9.3%
Ever been forced to have sexual intercourse when you didn't want to (Q19-QN22)	8.6%	8.8%	8.6%	8.0%	10.9%	7.9%	9.4%	8.7%	8.5%	7.3%	8.1%	7.2%
Made plan about how to attempt suicide in the past 12 months (Q22-QN25)	13.9%	11.3%	13.3%	11.2%	15.9%	12.6%	15.1%	8.9%	12.2%	10.2%	12.7%	15.0%

All Grades (9-12): Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking 1+ times in the past 30 days (Q10-QN10)	43.5%	42.8%	37.8%	47.2%	49.2%	37.6%	49.1%	44.5%	37.0%	45.4%	41.5%	47.0%
Drove when had been drinking 1+ times in past 30 days (Q11-QN11)	26.8%	26.7%	24.5%	30.6%	33.7%	22.7%	32.3%	28.3%	22.7%	29.3%	28.5%	33.3%
Current Cigarette Smoker: smoked cigarettes 1+ days in the past 30 days (Q27curr-QN30)	35.3%	30.2%	32.5%	31.3%	37.1%	29.3%	36.9%	33.1%	31.3%	26.2%	33.4%	31.5%
Frequent Cigarette Smoker: smoked cigarettes 20+ days in the past 30 days (Q27freq-QNFRICIG)	18.7%	16.0%	18.2%	13.8%	20.1%	14.7%	18.1%	20.7%	14.9%	12.0%	17.8%	11.4%
Ever Smoked Cigarettes Daily: smoked 1+ cigarette every day for 30 days (Q32-QN34)	N.A.	21.1%	25.2%	20.6%	28.3%	22.4%	22.4%	26.4%	21.5%	19.3%	25.0%	21.0%
If smoked in past 30 days, how usually obtained cigarettes: bought them at a store or gas station (Q29-QN32)	11.0%	10.2%	9.9%	8.6%	10.8%	8.4%	11.9%	13.0%	8.0%	5.9%	9.4%	8.7%
If smoked in past 30 days, how usually obtained cigarettes: someone else bought them (Q29-QN32d)	11.8%	7.5%	10.5%	8.5%	12.1%	7.9%	9.2%	9.6%	10.3%	8.6%	10.2%	9.3%
If smoked in past 30 days, how usually obtained cigarettes: borrowed or bummed them from someone else (Q29-QN32e)	8.6%	7.3%	7.6%	9.3%	8.0%	8.8%	9.3%	6.5%	8.0%	7.5%	9.0%	10.0%

"N.A." means "Not Applicable" because either the question was not asked or results cannot be generated.

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

All Grades (9-12): Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Was not asked to show proof of age when bought or tried to buy cigarettes at a store in the past 30 days (Q30-QN90)	7.6%	6.5%	5.7%	6.5%	8.6%	3.6%	11.5%	7.2%	4.3%	5.1%	6.5%	6.2%
Current Cigar Smoker: smoked cigars 1+ days in the past 30 days (Q33-QN38)	N.A.	13.0%	14.1%	11.4%	16.6%	11.5%	10.7%	16.2%	12.0%	9.3%	15.2%	10.2%
Current smokers who tried to quit smoking in the past 12 months (Q34-QN35)	57.9%	57.8%	63.1%	55.4%	57.7%	60.6%	59.0%	63.9%	56.7%	55.3%	61.6%	62.0%
Current Smokeless Tobacco Use: used chewing tobacco or snuff 1+ days in the past 30 days (Q36-QN36)	13.2%	10.3%	8.9%	13.7%	15.6%	9.9%	12.5%	11.6%	7.5%	12.9%	12.1%	13.8%
Current Tobacco Use: smoked cigarettes (Q27) or cigars (Q33) or used chewing tobacco or snuff (Q36) on 1+ days in past 30 days (QNANYTOB)	N.A.	34.1%	34.4%	35.4%	40.8%	32.3%	39.7%	34.9%	32.8%	30.6%	37.0%	35.9%
Drank alcohol 1+ days in the past 30 days (Q39-QN41)	59.2%	54.2%	52.1%	56.7%	56.2%	49.9%	56.7%	57.1%	51.4%	56.5%	54.6%	58.3%
Had 5+ drinks in a row 1+ days in the past 30 days (Q40-QN42)	41.5%	39.5%	38.1%	41.5%	45.5%	34.9%	43.6%	43.7%	36.4%	40.9%	38.7%	44.5%
Used marijuana 1+ times in past 30 days (Q47-QN46)	22.0%	20.6%	26.3%	15.6%	20.8%	19.9%	25.6%	25.8%	23.5%	13.4%	22.4%	13.5%
Sniffed/inhaled glue, paint, etc. 1+ times in lifetime (Q52-QN50)	15.1%	10.7%	12.1%	11.2%	13.6%	12.1%	15.6%	10.5%	11.6%	10.8%	10.5%	12.6%
Used methamphetamines 1+ times in lifetime (Q55-QN53)	9.7%	8.5%	11.2%	7.0%	9.4%	6.5%	10.6%	11.9%	10.2%	5.9%	9.7%	9.3%

All Grades (9-12): Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students.)

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q26all-QN29)	25.4%	18.7%	19.5%	22.0%	23.6%	19.6%	22.9%	19.5%	19.5%	21.7%	21.7%	19.2%
First use of chewing tobacco or snuff under age 13 (Q35all-QN91)	12.3%	8.2%	7.2%	10.5%	13.4%	8.1%	10.9%	8.1%	6.1%	9.9%	8.6%	12.0%
First drink of alcohol under age 13 (Q38all-QN40)	29.8%	25.4%	23.8%	28.7%	30.6%	24.1%	27.0%	23.5%	23.1%	29.6%	29.0%	24.1%
First time tried marijuana under age 13 (Q46all-QN45)	6.9%	7.9%	9.2%	6.1%	8.6%	7.0%	9.8%	10.9%	7.5%	5.0%	7.8%	5.6%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q51all-QN97)	7.8%	5.0%	6.6%	6.1%	6.9%	6.2%	9.2%	7.7%	5.8%	6.0%	5.4%	6.0%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

All Grades (9-12): Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used.)

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q26use-QN29use)	43.7%	36.7%	38.7%	41.7%	43.0%	41.3%	40.7%	36.9%	39.0%	45.0%	40.3%	36.9%
First use of chewing tobacco or snuff under age 13 (Q35use-QN91use)	39.5%	30.0%	30.9%	34.0%	31.5%	32.2%	38.1%	27.6%	31.4%	33.7%	32.3%	38.0%
First drink of alcohol under age 13 (Q38use-QN40use)	37.5%	34.7%	32.5%	37.0%	39.5%	33.1%	34.9%	30.0%	32.3%	39.0%	38.2%	31.5%
First time tried marijuana under age 13 (Q46use-QN45use)	17.9%	20.2%	20.7%	19.2%	20.9%	20.2%	22.9%	24.6%	18.4%	17.6%	19.7%	16.0%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q51use-QN97use)	51.3%	47.8%	52.2%	52.6%	50.5%	49.0%	55.6%	58.7%	49.5%	55.8%	51.3%	51.3%

All Grades (9-12): Other Risk Behaviors

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Wear a seat belt always or most of the time (Q9-QN9_ND)	56.5%	57.5%	63.7%	50.7%	49.5%	63.0%	38.2%	53.3%	65.2%	50.2%	61.1%	60.2%
Drank 3 or more glasses of milk per day (Q74-QN79)	28.9%	26.1%	24.3%	29.7%	26.4%	27.0%	23.1%	26.3%	28.2%	27.1%	26.6%	26.2%
Ate 5 or more fruits and vegetables each day in the past seven days (Q68 to Q73-QNFRVG)	18.1%	17.3%	16.1%	16.0%	15.6%	14.2%	18.2%	17.9%	17.0%	14.4%	15.5%	14.9%
Drank more than 12 ounces of sweetened beverage per day (Q77-QN103)	53.3%	50.0%	49.6%	50.4%	51.8%	52.9%	54.4%	48.6%	50.3%	46.0%	50.5%	42.0%
Ate breakfast 5 or more days in the past week (Q76-QN102_ND)	46.6%	47.6%	46.3%	50.0%	43.3%	44.7%	44.1%	50.8%	47.7%	49.5%	48.8%	53.4%
Ate a meal with their family yesterday (Q78-QN104)	57.5%	53.3%	53.8%	56.1%	49.3%	53.1%	54.1%	50.0%	56.4%	60.0%	54.4%	61.3%
Didn't do the <u>minimum</u> amount of either vigorous (Q80) or moderate (Q81) physical activity (Qnminpa)	34.1%	31.4%	30.1%	32.6%	34.1%	26.4%	35.0%	34.6%	29.5%	29.8%	30.3%	39.4%
Didn't do <u>any</u> vigorous (Q80) or moderate (Q81) physical activity (Qnnopa)	8.3%	7.3%	6.8%	7.9%	9.9%	5.4%	8.3%	8.0%	7.1%	7.3%	5.9%	11.5%
Did take physical education class daily (Q84-QN84_ND)	31.6%	37.2%	46.8%	29.5%	22.6%	36.9%	33.7%	33.3%	43.4%	27.7%	50.7%	32.7%
Watched TV (Q82) and played video games (Q83) 2 hours or less per day (R82R83-R83R106)	39.0%	42.7%	43.6%	41.7%	42.3%	40.9%	38.4%	47.8%	42.8%	40.3%	42.1%	48.5%
Brushed teeth on all of the past 7 days (Q89-QN109)	75.9%	77.4%	77.3%	75.1%	78.2%	75.8%	74.5%	77.6%	76.5%	75.1%	76.6%	76.1%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

All Grades (9-12): Other Risk Behaviors

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Was taught about HIV/AIDS in school (Q90-QN87)	89.4%	91.7%	92.7%	88.6%	91.7%	87.0%	85.0%	93.3%	91.4%	91.0%	93.0%	91.6%
Have talked about HIV/AIDS with parent or other adults in their family (Q91-QN110)	41.4%	40.0%	41.9%	38.9%	35.9%	41.3%	40.6%	43.6%	39.2%	36.9%	42.7%	39.3%
Have <u>never</u> had sexual intercourse in lifetime (Q92-QN58_ND)	58.0%	57.2%	56.7%	58.1%	56.3%	56.6%	51.7%	50.2%	60.9%	61.3%	60.0%	52.6%
Sexual abstinence is at least an important priority (Q93-QN111_ND)	51.7%	50.9%	50.6%	50.2%	50.7%	49.0%	48.5%	49.5%	51.8%	52.5%	49.7%	51.7%
Have <u>not</u> had sexual intercourse in past 3 months (Q96-QN61_ND)	69.2%	68.4%	67.1%	68.6%	65.6%	68.9%	62.5%	62.4%	70.1%	71.0%	69.2%	66.1%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

9th Grade: Behaviors that Result in Unintentional and Intentional Injuries

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon 1+ days in past 30 days other than for hunting (Q12-QN89)	19.3%	15.9%	15.0%	16.0%	18.1%	16.0%	19.9%	13.0%	15.1%	18.3%	13.1%	15.9%
Carried weapon 1+ days in past 30 days on school property (Q13-QN14)	8.8%	5.6%	6.2%	5.1%	7.9%	5.9%	7.3%	4.1%	6.6%	6.1%	4.0%	7.1%
Didn't go to school 1+ days in past 30 days because felt unsafe (Q14-QN15)	3.6%	4.0%	3.7%	3.4%	2.2%	3.7%	8.5%	1.2%	3.6%	3.2%	2.8%	4.4%
Been in physical fight 1+ times during the past 12 months (Q16-QN18)	38.8%	33.9%	31.5%	32.5%	35.0%	35.3%	36.8%	23.1%	32.5%	31.5%	29.5%	40.4%
Been in a physical fight on school property 1+ times in the past 12 months (Q17-QN20)	20.0%	13.7%	14.9%	15.1%	20.3%	11.3%	18.5%	11.3%	15.2%	14.2%	14.9%	23.0%
Boy/girlfriend hit, slapped, or hurt you in the past 12 months (Q18-QN21)	10.6%	7.4%	8.3%	6.8%	10.9%	9.0%	9.0%	2.5%	7.0%	6.6%	8.3%	8.2%
Ever been forced to have sexual intercourse when you didn't want to (Q19-QN22)	7.5%	6.9%	7.6%	6.2%	12.7%	7.2%	6.6%	5.5%	6.1%	7.0%	7.5%	5.5%
Made plan about how to attempt suicide in the past 12 months (Q22-QN25)	14.9%	15.7%	15.2%	12.7%	21.6%	14.5%	20.0%	9.4%	14.7%	11.8%	12.1%	15.6%

9th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking 1+ times in the past 30 days (Q10-QN10)	40.2%	35.1%	28.8%	38.0%	39.5%	33.7%	41.3%	31.2%	32.0%	36.9%	29.1%	27.4%
Drove when had been drinking 1+ times in past 30 days (Q11-QN11)	13.2%	15.7%	12.9%	17.9%	23.2%	15.2%	24.3%	7.6%	15.3%	18.7%	11.8%	11.6%
Current Cigarette Smoker: smoked cigarettes 1+ days in the past 30 days (Q27curr-QN30)	27.8%	21.1%	20.8%	23.0%	28.2%	25.0%	32.7%	14.4%	23.0%	15.6%	19.1%	17.4%
Frequent Cigarette Smoker: smoked cigarettes 20+ days in the past 30 days (Q27freq-QNFRICIG)	10.5%	11.2%	8.4%	8.8%	14.2%	11.1%	13.0%	5.5%	9.3%	6.3%	6.8%	2.8%
Ever Smoked Cigarettes Daily: smoked 1+ cigarette every day for 30 days (Q32-QN34)	N.A.	16.8%	15.4%	15.6%	26.0%	20.0%	18.6%	8.8%	15.0%	11.5%	14.1%	20.0%
If smoked in past 30 days, how usually obtained cigarettes: bought them at a store or gas station (Q29-QN32)	1.9%	3.1%	1.8%	2.1%	3.1%	1.9%	4.3%	1.7%	2.3%	0.9%	1.2%	0.9%
If smoked in past 30 days, how usually obtained cigarettes: someone else bought them (Q29-QN32d)	12.8%	5.8%	7.3%	7.7%	10.1%	5.2%	11.0%	8.2%	8.3%	5.9%	6.5%	7.5%
If smoked in past 30 days, how usually obtained cigarettes: borrowed or bummed them from someone else (Q29-QN32c)	8.6%	4.4%	7.5%	8.1%	8.7%	10.8%	11.3%	3.3%	8.0%	6.2%	7.2%	2.8%

"N.A." means "Not Applicable" because either the question was not asked or results cannot be generated.

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

9th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Was not asked to show proof of age when bought or tried to buy cigarettes at a store in the past 30 days (Q30-QN90)	6.2%	5.2%	3.0%	4.1%	9.9%	2.8%	8.3%	0.8%	3.3%	2.6%	2.8%	0.9%
Current Cigar Smoker: smoked cigars 1+ days in the past 30 days (Q33-QN38)	N.A.	8.9%	10.2%	8.0%	16.4%	7.6%	10.6%	8.6%	11.0%	5.5%	8.0%	8.0%
Current smokers who tried to quit smoking in the past 12 months (Q34-QN35)	55.3%	67.7%	59.7%	58.2%	56.7%	68.7%	57.3%	74.4%	57.4%	45.1%	56.5%	68.8%
Current Smokeless Tobacco Use: used chewing tobacco or snuff 1+ days in the past 30 days (Q36-QN35)	10.5%	6.1%	5.6%	11.0%	15.0%	7.3%	11.9%	2.9%	5.5%	11.5%	7.5%	18.8%
Current Tobacco Use: smoked cigarettes (Q27) or cigars (Q33) or used chewing tobacco or snuff (Q36) on 1+ days in past 30 days (QNANYTOB)	N.A.	22.6%	22.3%	27.1%	32.8%	27.2%	35.8%	16.1%	24.4%	20.5%	21.9%	25.7%
Drank alcohol 1+ days in the past 30 days (Q39-QN41)	50.1%	38.6%	38.3%	44.4%	45.7%	40.6%	49.0%	34.3%	40.5%	47.4%	38.9%	30.9%
Had 5+ drinks in a row 1+ days in the past 30 days (Q40-QN42)	31.6%	25.3%	23.1%	29.0%	33.7%	27.0%	35.7%	17.9%	25.4%	30.0%	22.6%	16.1%
Used marijuana 1+ times in past 30 days (Q47-QN46)	20.7%	16.1%	18.8%	11.8%	18.2%	16.8%	25.1%	6.3%	19.2%	7.9%	14.4%	7.1%
Sniffed/inhaled glue, paint, etc. 1+ times in lifetime (Q52-QN50)	17.7%	13.3%	14.0%	13.4%	18.2%	13.1%	22.5%	11.8%	13.2%	13.1%	11.4%	16.4%
Used methamphetamines 1+ times in lifetime (Q55-QN53)	10.3%	7.8%	7.5%	5.4%	8.8%	6.2%	9.8%	2.1%	7.3%	4.3%	6.4%	8.9%

9th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students.)

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q26all-QN29)	32.7%	18.3%	19.7%	24.4%	25.1%	23.4%	29.4%	11.1%	21.2%	20.8%	21.5%	29.8%
First use of chewing tobacco or snuff under age 13 (Q35all-QN91)	14.0%	7.2%	6.2%	11.4%	11.2%	7.6%	15.2%	6.8%	5.7%	11.9%	7.4%	18.6%
First drink of alcohol under age 13 (Q38all-QN40)	41.5%	29.0%	27.8%	33.7%	34.1%	30.0%	35.0%	26.6%	27.2%	30.7%	32.9%	32.1%
First time tried marijuana under age 13 (Q46all-QN45)	11.6%	10.2%	9.2%	7.5%	11.5%	10.2%	11.1%	5.2%	7.9%	7.0%	7.9%	11.8%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q51all-QN97)	9.9%	5.7%	7.4%	8.2%	8.8%	7.1%	14.5%	4.3%	8.3%	8.8%	5.6%	8.0%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

9th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used.)

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q26use-QN29use)	68.4%	46.4%	54.8%	60.5%	57.0%	58.5%	56.3%	45.7%	56.3%	64.2%	57.7%	70.5%
First use of chewing tobacco or snuff under age 13 (Q35use-QN91use)	62.5%	37.2%	44.5%	48.5%	33.1%	40.3%	56.9%	57.6%	44.8%	52.7%	43.9%	56.8%
First drink of alcohol under age 13 (Q38use-QN40use)	59.1%	48.8%	46.7%	51.7%	49.0%	48.0%	51.0%	47.1%	45.6%	46.0%	54.0%	51.5%
First time tried marijuana under age 13 (Q46use-QN45use)	36.8%	34.4%	31.7%	33.3%	39.7%	37.3%	30.0%	30.3%	27.0%	40.9%	32.3%	48.1%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q51use-QN97use)	57.1%	49.2%	54.1%	62.0%	50.9%	53.1%	66.6%	43.7%	59.0%	68.8%	53.5%	52.9%

9th Grade: Other Risk Behaviors

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Wear a seat belt always or most of the time (Q9-QN9_ND)	59.6%	60.2%	70.3%	54.8%	54.0%	64.8%	37.9%	64.6%	68.9%	53.6%	70.6%	61.6%
Drank 3 or more glasses of milk per day (Q74-QN79)	32.6%	30.4%	28.3%	33.1%	28.9%	28.0%	21.0%	30.3%	33.3%	34.5%	30.5%	31.0%
Ate 5 or more fruits and vegetables each day in the past seven days (Q68 through Q73-QNFRVG)	20.8%	20.8%	19.9%	16.5%	22.9%	15.6%	17.9%	20.8%	19.5%	17.3%	17.6%	16.4%
Drank more than 12 ounces of sweetened beverage per day (Q77-QN103)	52.1%	46.8%	44.2%	47.9%	48.8%	50.3%	53.6%	43.6%	44.8%	39.4%	45.2%	42.0%
Ate breakfast 5 or more days in the past week (Q76-QN102_ND)	51.8%	52.5%	51.7%	55.8%	48.4%	50.0%	45.2%	51.5%	56.6%	57.7%	54.3%	58.6%
Ate a meal with their family yesterday (Q78-QN104)	64.3%	61.3%	62.8%	62.8%	57.3%	58.4%	59.8%	62.5%	61.7%	67.8%	65.9%	67.6%
Didn't do the <u>minimum</u> amount of either vigorous (Q80) or moderate (Q81) physical activity (Qnminpa)	27.6%	25.7%	23.8%	25.5%	26.0%	19.7%	32.1%	25.9%	26.2%	17.5%	23.2%	36.6%
Didn't do <u>any</u> vigorous (Q80) or moderate (Q81) physical activity (Qnnpa)	5.2%	6.7%	5.7%	5.3%	8.6%	4.7%	8.6%	6.1%	5.7%	3.2%	4.5%	8.9%
Did take physical education class daily (Q84-QN84_ND)	48.3%	53.9%	56.7%	52.0%	41.8%	68.4%	37.8%	37.7%	52.0%	52.6%	64.0%	64.4%
Watched TV (Q82) and played video games (Q83) 2 hours or less per day (R82R83-R83R106)	28.0%	32.2%	35.2%	34.0%	36.0%	35.9%	30.7%	44.9%	34.3%	33.6%	32.7%	34.9%
Brushed teeth on all of the past 7 days (Q89-QN109)	75.9%	77.4%	76.8%	71.0%	71.8%	72.3%	71.9%	84.9%	75.8%	70.5%	75.0%	53.6%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

9th Grade: Other Risk Behaviors

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Was taught about HIV/AIDS in school (Q90-QN87)	84.8%	88.5%	92.4%	87.6%	90.1%	88.3%	87.0%	88.9%	90.8%	90.5%	92.2%	89.1%
Have talked about HIV/AIDS with parent or other adults in their family (Q91-QN110)	39.4%	39.6%	40.6%	38.0%	36.7%	42.2%	40.1%	32.8%	36.4%	36.4%	44.5%	43.6%
Have <u>never</u> had sexual intercourse in lifetime (Q92-QN58_ND)	72.4%	74.5%	75.8%	75.1%	71.0%	71.4%	69.2%	77.1%	75.4%	76.6%	79.9%	71.6%
Sexual abstinence is at least an important priority (Q93-QN111_ND)	57.1%	54.4%	61.5%	55.0%	56.7%	55.1%	53.0%	67.2%	60.0%	57.9%	58.7%	58.2%
Have <u>not</u> had sexual intercourse in past 3 months (Q96-QN61_ND)	81.6%	80.6%	81.5%	80.9%	75.3%	78.3%	74.7%	78.9%	81.6%	81.7%	85.9%	83.0%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

10th Grade: Behaviors that Result in Unintentional and Intentional Injuries

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon 1+ days in past 30 days other than for hunting (Q12-QN89)	11.5%	15.7%	13.6%	15.7%	18.4%	14.4%	14.5%	19.0%	13.0%	15.9%	15.9%	8.2%
Carried weapon 1+ days in past 30 days on school property (Q13-QN14)	6.9%	5.6%	6.0%	5.6%	8.9%	6.7%	4.9%	6.8%	5.2%	6.2%	5.8%	2.7%
Didn't go to school 1+ days in past 30 days because felt unsafe (Q14-QN15)	3.0%	2.7%	4.4%	3.1%	6.6%	3.8%	4.1%	8.1%	2.9%	2.5%	3.4%	1.0%
Been in physical fight 1+ times during the past 12 months (Q16-QN18)	27.8%	26.3%	30.4%	26.9%	28.7%	32.2%	29.8%	29.7%	28.6%	27.9%	25.0%	29.0%
Been in a physical fight on school property 1+ times in the past 12 months (Q17-QN20)	9.4%	9.2%	11.6%	11.6%	10.2%	12.6%	11.5%	14.4%	12.5%	11.4%	9.8%	9.8%
Boy/girlfriend hit, slapped, or hurt you in the past 12 months (Q18-QN21)	9.9%	8.2%	8.6%	8.2%	10.2%	9.8%	11.7%	7.7%	7.9%	7.1%	7.3%	7.8%
Ever been forced to have sexual intercourse when you didn't want to (Q19-QN22)	7.5%	5.9%	7.7%	7.3%	11.5%	6.2%	10.4%	8.7%	7.8%	6.5%	6.7%	5.1%
Made plan about how to attempt suicide in the past 12 months (Q22-QN25)	14.5%	12.5%	16.2%	12.1%	19.6%	14.1%	13.8%	19.0%	12.4%	11.9%	13.6%	14.9%

10th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking 1+ times in the past 30 days (Q10-QN10)	38.3%	38.9%	35.3%	43.9%	44.8%	29.3%	50.9%	39.3%	40.9%	44.5%	40.0%	35.7%
Drove when had been drinking 1+ times in past 30 days (Q11-QN11)	21.2%	21.9%	22.6%	26.0%	31.1%	16.2%	29.5%	19.6%	24.7%	28.4%	27.4%	23.3%
Current Cigarette Smoker: smoked cigarettes 1+ days in the past 30 days (Q27curr-QN30)	28.5%	22.1%	28.5%	29.1%	37.7%	25.7%	31.5%	29.7%	29.9%	25.9%	31.4%	19.5%
Frequent Cigarette Smoker: smoked cigarettes 20+ days in the past 30 days (Q27freq-QNFRICIG)	14.5%	9.7%	14.1%	11.3%	18.5%	10.6%	14.5%	10.9%	13.1%	9.9%	16.4%	6.5%
Ever Smoked Cigarettes Daily: smoked 1+ cigarette every day for 30 days (Q32-QN34)	N.A.	14.1%	20.6%	17.9%	22.6%	17.8%	19.3%	18.2%	20.5%	18.6%	21.5%	12.5%
If smoked in past 30 days, how usually obtained cigarettes: bought them at a store or gas station (Q29-QN32)	3.6%	1.7%	2.7%	2.8%	2.6%	2.2%	8.2%	2.3%	1.5%	1.7%	3.7%	1.0%
If smoked in past 30 days, how usually obtained cigarettes: someone else bought them (Q29-QN32d)	12.3%	7.6%	12.7%	9.5%	14.9%	9.6%	8.5%	8.4%	12.7%	10.8%	12.7%	10.2%
If smoked in past 30 days, how usually obtained cigarettes: borrowed or bummed them from someone else (Q29-QN32c)	9.2%	7.3%	7.9%	11.0%	8.6%	10.4%	8.6%	14.2%	9.4%	8.6%	9.2%	5.1%

"N.A." means "Not Applicable" because either the question was not asked or results cannot be generated.

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

10th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Was not asked to show proof of age when bought or tried to buy cigarettes at a store in the past 30 days (Q30-QN90)	5.8%	3.4%	3.7%	5.7%	7.0%	3.8%	10.6%	7.8%	2.8%	4.8%	4.2%	1.7%
Current Cigar Smoker: smoked cigars 1+ days in the past 30 days (Q33-QN38)	N.A.	8.7%	12.8%	9.3%	16.8%	10.1%	9.3%	17.7%	9.3%	8.0%	12.8%	7.8%
Current smokers who tried to quit smoking in the past 12 months (Q34-QN35)	63.8%	53.6%	63.5%	56.7%	49.3%	57.6%	65.2%	58.2%	61.8%	49.2%	66.0%	57.1%
Current Smokeless Tobacco Use: used chewing tobacco or snuff 1+ days in the past 30 days (Q36-QN35)	13.4%	10.0%	9.0%	12.1%	14.3%	8.2%	10.2%	11.5%	7.8%	12.0%	11.9%	16.0%
Current Tobacco Use: smoked cigarettes (Q27) or cigars (Q33) or used chewing tobacco or snuff (Q36) on 1+ days in past 30 days (QNANYTOB)	N.A.	25.6%	30.4%	32.7%	40.6%	28.2%	35.0%	29.4%	31.8%	29.7%	34.3%	25.9%
Drank alcohol 1+ days in the past 30 days (Q39-QN41)	56.2%	49.9%	50.9%	52.9%	48.9%	47.0%	51.6%	45.0%	56.4%	57.3%	53.7%	49.2%
Had 5+ drinks in a row 1+ days in the past 30 days (Q40-QN42)	36.3%	36.0%	36.3%	37.3%	42.2%	29.5%	39.0%	32.3%	40.8%	42.2%	36.5%	35.6%
Used marijuana 1+ times in past 30 days (Q47-QN46)	20.7%	17.7%	23.7%	15.2%	23.5%	15.8%	21.7%	24.1%	23.9%	12.8%	20.3%	9.5%
Sniffed/inhaled glue, paint, etc. 1+ times in lifetime (Q52-QN50)	14.8%	9.5%	11.9%	11.0%	15.3%	12.0%	11.8%	15.0%	12.0%	12.5%	8.4%	8.5%
Used methamphetamines 1+ times in lifetime (Q55-QN53)	6.8%	6.0%	9.0%	5.9%	7.2%	6.1%	8.6%	8.9%	9.7%	6.0%	6.4%	5.4%

10th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students.)

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q26all-QN29)	23.5%	16.5%	17.0%	20.2%	21.9%	16.4%	21.1%	19.4%	17.4%	23.6%	18.7%	15.3%
First use of chewing tobacco or snuff under age 13 (Q35all-QN91)	12.2%	8.9%	7.3%	9.5%	14.3%	8.2%	9.2%	8.8%	6.2%	10.7%	7.3%	10.5%
First drink of alcohol under age 13 (Q38all-QN40)	28.6%	23.1%	24.5%	27.6%	31.1%	23.0%	25.6%	25.9%	23.7%	33.5%	28.3%	23.5%
First time tried marijuana under age 13 (Q46all-QN45)	7.1%	7.3%	8.3%	6.0%	8.7%	5.8%	11.1%	11.6%	6.3%	4.7%	7.2%	5.1%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q51all-QN97)	8.0%	4.6%	6.8%	5.6%	9.9%	6.1%	7.0%	11.2%	5.1%	5.3%	4.6%	5.7%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

10th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used.)

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q26use-QN29use)	42.8%	40.7%	37.8%	41.1%	41.9%	39.2%	40.8%	40.0%	36.1%	52.0%	37.3%	39.3%
First use of chewing tobacco or snuff under age 13 (Q35use-QN91use)	43.3%	38.6%	34.4%	34.3%	40.3%	36.9%	35.5%	34.5%	32.3%	37.3%	28.0%	39.7%
First drink of alcohol under age 13 (Q38use-QN40use)	37.4%	34.1%	34.2%	36.9%	43.2%	32.9%	33.9%	36.9%	31.6%	45.5%	37.1%	34.3%
First time tried marijuana under age 13 (Q46use-QN45use)	19.8%	23.6%	21.1%	20.4%	22.4%	20.4%	28.2%	31.6%	15.7%	17.2%	20.0%	21.4%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q51use-QN97use)	58.4%	49.2%	54.8%	49.4%	61.8%	46.7%	58.0%	64.7%	43.9%	42.4%	53.1%	68.0%

10th Grade: Other Risk Behaviors

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Wear a seat belt always or most of the time (Q9-QN9_ND)	56.6%	60.0%	66.8%	51.8%	47.7%	67.0%	41.8%	54.2%	64.5%	49.3%	60.2%	68.8%
Drank 3 or more glasses of milk per day (Q74-QN79)	31.0%	26.8%	25.5%	29.5%	32.7%	31.1%	22.8%	28.3%	28.5%	24.9%	23.9%	28.7%
Ate 5 or more fruits and vegetables each day in the past seven days (Q68 through Q73-QNFRVG)	18.9%	15.2%	13.4%	16.8%	15.6%	13.6%	19.9%	16.3%	15.0%	14.5%	14.2%	14.9%
Drank more than 12 ounces of sweetened beverage per day (Q77-QN103)	51.0%	52.8%	49.6%	51.2%	55.1%	53.3%	53.2%	51.9%	53.7%	47.8%	50.2%	29.7%
Ate breakfast 5 or more days in the past week (Q76-QN102_ND)	49.0%	52.7%	45.5%	51.2%	44.1%	47.7%	43.9%	53.0%	41.5%	48.8%	52.7%	60.0%
Ate a meal with their family yesterday (Q78-QN104)	59.5%	56.8%	56.0%	56.4%	49.7%	54.1%	56.1%	52.8%	56.3%	62.0%	55.0%	65.5%
Didn't do the <u>minimum</u> amount of either vigorous (Q80) or moderate (Q81) physical activity (Qnminpa)	32.8%	29.5%	27.8%	29.6%	35.2%	24.2%	32.8%	33.9%	24.5%	29.3%	30.3%	32.1%
Didn't do <u>any</u> vigorous (Q80) or moderate (Q81) physical activity (Qnnopa)	7.0%	6.2%	5.6%	6.6%	12.2%	5.9%	6.2%	5.8%	5.4%	6.0%	5.3%	7.4%
Did take physical education class daily (Q84-QN84_ND)	36.8%	40.0%	56.6%	33.1%	35.4%	56.1%	51.3%	28.9%	50.7%	25.9%	48.3%	31.2%
Watched TV (Q82) and played video games (Q83) 2 hours or less per day (R82R83-R83R106)	35.2%	41.1%	39.7%	38.8%	31.5%	32.6%	35.9%	44.6%	41.2%	40.0%	39.0%	50.0%
Brushed teeth on all of the past 7 days (Q89-QN109)	75.9%	77.4%	78.0%	75.0%	84.3%	77.2%	71.2%	75.4%	77.6%	75.2%	76.8%	74.3%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

10th Grade: Other Risk Behaviors

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Was taught about HIV/AIDS in school (Q90-QN87)	93.4%	93.5%	91.8%	90.3%	93.1%	89.8%	84.1%	91.0%	92.3%	93.5%	92.0%	90.8%
Have talked about HIV/AIDS with parent or other adults in their family (Q91-QN110)	39.1%	36.4%	40.9%	38.4%	30.7%	43.4%	40.7%	41.2%	39.9%	38.5%	38.7%	37.5%
Have <u>never</u> had sexual intercourse in lifetime (Q92-QN58_ND)	69.7%	69.3%	63.3%	64.1%	63.1%	64.1%	56.1%	62.1%	62.6%	63.7%	65.8%	70.5%
Sexual abstinence is at least an important priority (Q93-QN111_ND)	54.5%	56.4%	51.0%	53.8%	53.4%	54.6%	52.7%	50.6%	49.6%	53.7%	51.9%	56.1%
Have <u>not</u> had sexual intercourse in past 3 months (Q96-QN61_ND)	77.0%	78.2%	73.8%	73.6%	70.1%	75.3%	68.5%	75.8%	72.1%	73.7%	72.9%	82.0%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

11th Grade: Behaviors that Result in Unintentional and Intentional Injuries

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon 1+ days in past 30 days other than for hunting (Q12-QN89)	9.3%	11.2%	9.7%	13.5%	12.9%	10.0%	11.4%	13.7%	9.1%	9.5%	13.1%	9.9%
Carried weapon 1+ days in past 30 days on school property (Q13-QN14)	2.6%	4.5%	4.1%	6.9%	7.7%	4.0%	5.9%	5.2%	5.9%	3.2%	5.5%	5.1%
Didn't go to school 1+ days in past 30 days because felt unsafe (Q14-QN15)	1.1%	2.6%	2.1%	2.8%	0.0%	2.2%	5.5%	3.0%	2.2%	1.8%	2.6%	1.2%
Been in physical fight 1+ times during the past 12 months (Q16-QN18)	22.1%	22.5%	23.6%	24.5%	30.8%	22.7%	25.3%	27.0%	23.9%	17.3%	24.4%	22.8%
Been in a physical fight on school property 1+ times in the past 12 months (Q17-QN20)	6.5%	6.1%	8.2%	8.5%	15.0%	8.0%	7.5%	9.6%	7.9%	6.8%	8.1%	7.2%
Boy/girlfriend hit, slapped, or hurt you in the past 12 months (Q18-QN21)	10.3%	9.3%	9.0%	9.7%	10.4%	9.3%	10.5%	8.5%	9.7%	8.8%	10.4%	7.0%
Ever been forced to have sexual intercourse when you didn't want to (Q19-QN22)	7.9%	8.4%	6.7%	8.7%	7.4%	7.4%	9.6%	4.7%	9.2%	6.3%	7.6%	7.9%
Made plan about how to attempt suicide in the past 12 months (Q22-QN25)	13.9%	10.0%	10.5%	10.4%	11.2%	11.3%	14.8%	5.1%	9.6%	8.9%	13.5%	13.2%

11th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking 1+ times in the past 30 days (Q10-QN10)	41.5%	41.1%	40.6%	50.0%	54.5%	37.3%	50.8%	48.0%	35.4%	46.5%	45.0%	52.9%
Drove when had been drinking 1+ times in past 30 days (Q11-QN11)	28.1%	26.8%	27.3%	35.2%	35.3%	22.7%	33.5%	33.6%	22.8%	29.7%	33.1%	40.4%
Current Cigarette Smoker: smoked cigarettes 1+ days in the past 30 days (Q27curr-QN30)	35.8%	31.4%	36.3%	32.8%	32.3%	26.0%	41.6%	35.1%	35.3%	28.6%	40.4%	38.2%
Frequent Cigarette Smoker: smoked cigarettes 20+ days in the past 30 days (Q27freq-QNFRICIG)	20.9%	15.0%	20.1%	14.5%	17.9%	13.7%	20.3%	20.5%	17.6%	13.3%	22.7%	14.3%
Ever Smoked Cigarettes Daily: smoked 1+ cigarette every day for 30 days (Q32-QN34)	N.A.	22.3%	27.0%	23.1%	26.8%	22.2%	23.8%	25.9%	24.4%	21.5%	31.8%	23.9%
If smoked in past 30 days, how usually obtained cigarettes: bought them at a store or gas station (Q29-QN32)	9.0%	6.4%	7.6%	5.9%	4.7%	3.4%	10.5%	11.0%	7.4%	3.2%	6.6%	7.0%
If smoked in past 30 days, how usually obtained cigarettes: someone else bought them (Q29-QN32d)	13.4%	11.7%	14.4%	11.8%	16.7%	11.3%	12.8%	10.2%	14.5%	11.9%	17.9%	11.1%
If smoked in past 30 days, how usually obtained cigarettes: borrowed or bummed them from someone else (Q29-QN32c)	9.4%	9.3%	8.7%	10.1%	6.2%	8.4%	10.9%	7.4%	7.4%	8.0%	10.8%	15.6%

"N.A." means "Not Applicable" because either the question was not asked or results cannot be generated.

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

11th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Was not asked to show proof of age when bought or tried to buy cigarettes at a store in the past 30 days (Q30-QN90)	6.3%	7.4%	7.6%	6.1%	5.2%	2.3%	11.4%	9.3%	5.5%	4.9%	9.0%	8.5%
Current Cigar Smoker: smoked cigars 1+ days in the past 30 days (Q33-QN38)	N.A.	11.4%	13.4%	11.6%	13.7%	8.8%	8.1%	14.5%	13.2%	10.7%	17.0%	10.3%
Current smokers who tried to quit smoking in the past 12 months (Q34-QN35)	54.3%	63.9%	68.1%	56.5%	66.3%	64.7%	66.8%	64.8%	58.2%	62.9%	65.3%	67.4%
Current Smokeless Tobacco Use: used chewing tobacco or snuff 1+ days in the past 30 days (Q36-QN35)	11.0%	7.3%	7.3%	13.6%	10.1%	10.8%	12.8%	9.1%	6.5%	11.1%	12.1%	7.9%
Current Tobacco Use: smoked cigarettes (Q27) or cigars (Q33) or used chewing tobacco or snuff (Q36) on 1+ days in past 30 days (QNANYTOB)	N.A.	35.1%	37.8%	36.7%	35.4%	29.7%	43.6%	36.8%	36.1%	32.4%	44.0%	39.6%
Drank alcohol 1+ days in the past 30 days (Q39-QN41)	56.7%	56.3%	55.6%	60.8%	62.2%	47.1%	58.6%	62.2%	52.9%	57.6%	59.7%	65.6%
Had 5+ drinks in a row 1+ days in the past 30 days (Q40-QN42)	41.0%	40.5%	43.3%	45.8%	48.8%	34.6%	45.3%	52.1%	40.2%	41.7%	43.9%	51.9%
Used marijuana 1+ times in past 30 days (Q47-QN46)	21.9%	21.6%	27.1%	16.7%	17.5%	16.7%	26.9%	28.1%	25.2%	16.0%	26.3%	18.8%
Sniffed/inhaled glue, paint, etc. 1+ times in lifetime (Q52-QN50)	14.4%	12.1%	11.1%	9.9%	10.4%	11.6%	17.0%	10.1%	9.7%	7.9%	9.3%	13.0%
Used methamphetamines 1+ times in lifetime (Q55-QN53)	7.7%	9.5%	11.3%	7.6%	8.8%	5.5%	11.0%	12.3%	11.3%	7.0%	10.3%	10.1%

11th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students.)

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q26all-QN29)	23.8%	18.1%	18.9%	22.1%	27.9%	19.4%	20.7%	18.2%	19.3%	21.0%	22.8%	16.5%
First use of chewing tobacco or snuff under age 13 (Q35all-QN91)	11.8%	4.9%	6.6%	9.6%	16.2%	8.0%	8.5%	7.1%	4.9%	7.3%	8.4%	9.4%
First drink of alcohol under age 13 (Q38all-QN40)	24.0%	23.1%	19.6%	28.5%	35.0%	21.7%	25.6%	21.4%	21.0%	26.7%	23.9%	19.2%
First time tried marijuana under age 13 (Q46all-QN45)	4.5%	5.7%	8.0%	5.3%	7.2%	5.9%	8.5%	11.1%	7.6%	4.0%	6.6%	2.2%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q51all-QN97)	7.7%	4.8%	6.2%	4.9%	5.2%	6.5%	7.5%	6.8%	4.0%	5.5%	5.4%	5.6%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

11th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used.)

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q26use-QN29use)	39.9%	33.2%	34.4%	38.6%	49.3%	40.5%	35.6%	33.7%	34.4%	38.6%	37.0%	28.9%
First use of chewing tobacco or snuff under age 13 (Q35use-QN91use)	38.6%	19.7%	27.8%	30.2%	38.6%	30.8%	29.0%	25.2%	24.1%	25.2%	30.5%	34.5%
First drink of alcohol under age 13 (Q38use-QN40use)	29.2%	29.1%	25.7%	34.7%	41.7%	29.1%	31.6%	26.7%	28.1%	33.9%	29.7%	23.7%
First time tried marijuana under age 13 (Q46use-QN45use)	11.1%	12.7%	16.4%	14.6%	15.9%	16.8%	17.8%	22.9%	16.2%	11.9%	14.4%	5.2%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q51use-QN97use)	51.1%	44.1%	52.4%	48.6%	51.3%	57.3%	39.8%	51.6%	41.5%	65.1%	57.4%	50.0%

11th Grade: Other Risk Behaviors

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Wear a seat belt always or most of the time (Q9-QN9_ND)	60.9%	62.1%	64.4%	51.2%	50.1%	66.8%	41.8%	56.7%	67.4%	54.3%	58.8%	59.9%
Drank 3 or more glasses of milk per day (Q74-QN79)	30.8%	23.4%	23.6%	28.1%	25.8%	22.8%	28.7%	29.9%	25.8%	21.8%	25.0%	21.6%
Ate 5 or more fruits and vegetables each day in the past seven days (Q68 through Q73-QNFRVG)	15.1%	16.2%	15.1%	14.8%	10.1%	14.3%	19.8%	17.9%	15.9%	11.3%	13.6%	14.5%
Drank more than 12 ounces of sweetened beverage per day (Q77-QN103)	52.3%	50.2%	49.8%	51.5%	50.1%	53.9%	55.9%	46.9%	52.5%	46.7%	52.9%	43.5%
Ate breakfast 5 or more days in the past week (Q76-QN102_ND)	45.8%	48.3%	47.8%	47.2%	42.3%	46.0%	45.5%	55.3%	46.6%	44.5%	44.3%	51.0%
Ate a meal with their family yesterday (Q78-QN104)	57.8%	49.2%	52.8%	54.1%	43.9%	52.6%	53.9%	53.3%	55.4%	55.4%	48.6%	60.3%
Didn't do the <u>minimum</u> amount of either vigorous (Q80) or moderate (Q81) physical activity (Qnminpa)	36.8%	32.7%	34.0%	35.9%	40.8%	29.3%	34.2%	32.9%	31.0%	36.7%	35.6%	45.9%
Didn't do <u>any</u> vigorous (Q80) or moderate (Q81) physical activity (Qnnopa)	10.2%	7.4%	7.7%	9.5%	10.2%	5.2%	6.1%	7.3%	8.7%	8.6%	7.5%	16.1%
Did take physical education class daily (Q84-QN84_ND)	22.1%	31.4%	39.9%	14.3%	5.5%	7.4%	21.3%	41.7%	36.7%	12.3%	48.7%	23.9%
Watched TV (Q82) and played video games (Q83) 2 hours or less per day (R82R83-R83R106)	42.5%	44.8%	47.4%	45.0%	46.0%	47.7%	42.5%	42.0%	48.9%	43.3%	49.2%	48.3%
Brushed teeth on all of the past 7 days (Q89-QN109)	75.9%	77.4%	77.4%	75.9%	79.1%	74.2%	78.4%	76.7%	76.0%	76.2%	77.2%	80.0%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

11th Grade: Other Risk Behaviors

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Was taught about HIV/AIDS in school (Q90-QN87)	90.7%	93.0%	94.7%	88.6%	93.6%	83.5%	84.9%	96.3%	94.1%	91.6%	94.7%	94.0%
Have talked about HIV/AIDS with parent or other adults in their family (Q91-QN110)	44.3%	41.2%	41.1%	40.5%	38.6%	43.0%	39.5%	42.5%	43.7%	37.8%	41.3%	34.0%
Have <u>never</u> had sexual intercourse in lifetime (Q92-QN58_ND)	53.5%	48.6%	49.7%	52.3%	50.6%	54.6%	45.1%	48.8%	53.4%	55.7%	51.6%	40.7%
Sexual abstinence is at least an important priority (Q93-QN111_ND)	53.3%	48.7%	46.3%	47.4%	46.4%	44.5%	46.4%	44.2%	45.8%	51.4%	46.2%	52.1%
Have <u>not</u> had sexual intercourse in past 3 months (Q96-QN61_ND)	66.4%	63.4%	60.6%	65.3%	62.6%	67.5%	55.9%	59.9%	63.5%	67.5%	63.2%	55.3%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

12th Grade: Behaviors that Result in Unintentional and Intentional Injuries

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon 1+ days in past 30 days other than for hunting (Q12-QN89)	8.5%	17.6%	12.2%	14.3%	12.9%	15.9%	12.1%	13.8%	10.9%	15.9%	13.4%	8.7%
Carried weapon 1+ days in past 30 days on school property (Q13-QN14)	6.3%	6.7%	6.1%	8.0%	7.3%	3.6%	9.7%	6.7%	8.2%	11.3%	6.0%	5.8%
Didn't go to school 1+ days in past 30 days because felt unsafe (Q14-QN15)	3.1%	1.6%	2.0%	2.4%	2.3%	2.5%	5.1%	0.7%	2.6%	2.2%	1.9%	1.5%
Been in physical fight 1+ times during the past 12 months (Q16-QN18)	22.8%	25.3%	24.2%	21.0%	23.5%	27.3%	26.8%	25.3%	18.0%	18.7%	22.6%	20.6%
Been in a physical fight on school property 1+ times in the past 12 months (Q17-QN20)	6.9%	5.0%	7.4%	6.0%	6.6%	7.6%	9.7%	6.2%	6.0%	5.6%	5.4%	13.8%
Boy/girlfriend hit, slapped, or hurt you in the past 12 months (Q18-QN21)	15.2%	14.4%	13.7%	10.9%	12.7%	10.6%	12.5%	11.2%	12.6%	10.9%	13.3%	18.1%
Ever been forced to have sexual intercourse when you didn't want to (Q19-QN22)	10.6%	13.9%	13.3%	9.6%	12.2%	11.3%	10.1%	15.5%	11.4%	10.4%	10.2%	10.2%
Made plan about how to attempt suicide in the past 12 months (Q22-QN25)	11.3%	6.9%	11.4%	8.8%	10.7%	9.7%	10.3%	7.3%	10.1%	8.0%	11.3%	19.6%

12th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking 1+ times in the past 30 days (Q10-QN10)	53.3%	56.2%	46.9%	58.1%	59.0%	54.2%	54.3%	50.5%	41.9%	56.9%	53.7%	69.6%
Drove when had been drinking 1+ times in past 30 days (Q11-QN11)	43.4%	42.5%	35.9%	45.2%	45.1%	39.3%	43.6%	38.1%	31.2%	45.6%	44.4%	50.0%
Current Cigarette Smoker: smoked cigarettes 1+ days in the past 30 days (Q27curr-QN30)	47.8%	46.6%	45.2%	41.0%	50.0%	42.5%	42.2%	42.7%	41.1%	38.3%	45.3%	48.5%
Frequent Cigarette Smoker: smoked cigarettes 20+ days in the past 30 days (Q27freq-QNFRICIG)	28.9%	28.3%	31.6%	20.9%	30.5%	24.8%	25.7%	35.1%	23.1%	20.8%	27.0%	20.2%
Ever Smoked Cigarettes Daily: smoked 1+ cigarette every day for 30 days (Q32-QN34)	N.A.	31.2%	39.2%	26.4%	39.0%	31.0%	29.3%	41.6%	29.1%	27.7%	34.3%	31.2%
If smoked in past 30 days, how usually obtained cigarettes: bought them at a store or gas station (Q29-QN32)	29.5%	30.4%	31.3%	25.8%	34.3%	30.5%	28.0%	29.3%	26.7%	23.4%	28.4%	35.8%
If smoked in past 30 days, how usually obtained cigarettes: someone else bought them (Q29-QN32d)	8.4%	4.4%	6.0%	4.4%	6.1%	3.9%	3.6%	10.1%	4.9%	4.3%	3.8%	3.6%
If smoked in past 30 days, how usually obtained cigarettes: borrowed or bummed them from someone else (Q29-QN32c)	7.0%	8.2%	5.7%	7.9%	8.4%	5.2%	5.8%	2.5%	6.9%	7.2%	9.5%	9.5%

"N.A." means "Not Applicable" because either the question was not asked or results cannot be generated.

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

12th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Was not asked to show proof of age when bought or tried to buy cigarettes at a store in the past 30 days (Q30-QN90)	10.9%	9.4%	7.6%	10.0%	12.0%	5.4%	15.5%	7.1%	6.0%	9.1%	10.3%	13.1%
Current Cigar Smoker: smoked cigars 1+ days in the past 30 days (Q33-QN38)	N.A.	23.3%	21.0%	16.9%	19.9%	20.3%	13.8%	21.5%	14.6%	13.7%	24.0%	16.1%
Current smokers who tried to quit smoking in the past 12 months (Q34-QN35)	59.5%	51.4%	59.6%	52.4%	59.7%	55.8%	50.3%	63.8%	50.0%	58.1%	57.9%	52.6%
Current Smokeless Tobacco Use: used chewing tobacco or snuff 1+ days in the past 30 days (Q36-QN35)	16.9%	17.6%	14.6%	18.6%	22.8%	13.6%	14.7%	19.2%	10.8%	19.0%	17.9%	22.8%
Current Tobacco Use: smoked cigarettes (Q27) or cigars (Q33) or used chewing tobacco or snuff (Q36) on 1+ days in past 30 days (QNANYTOB)	N.A.	53.8%	48.0%	46.4%	54.4%	46.1%	45.0%	46.1%	43.4%	44.0%	50.7%	54.5%
Drank alcohol 1+ days in the past 30 days (Q39-QN41)	73.1%	71.7%	64.9%	70.1%	69.0%	66.4%	69.8%	70.6%	60.2%	67.0%	68.8%	77.4%
Had 5+ drinks in a row 1+ days in the past 30 days (Q40-QN42)	56.9%	56.4%	49.5%	55.3%	57.8%	50.8%	56.3%	54.3%	42.7%	53.9%	54.3%	64.5%
Used marijuana 1+ times in past 30 days (Q47-QN46)	23.8%	26.6%	36.6%	18.9%	23.3%	32.7%	28.4%	35.2%	27.0%	17.5%	29.7%	10.9%
Sniffed/inhaled glue, paint, etc. 1+ times in lifetime (Q52-QN50)	12.5%	7.8%	10.8%	10.1%	10.2%	11.8%	8.3%	6.9%	9.9%	10.2%	12.5%	16.8%
Used methamphetamines 1+ times in lifetime (Q55-QN53)	12.8%	10.3%	17.6%	8.8%	12.4%	8.0%	13.1%	18.2%	13.2%	6.0%	16.2%	14.6%

12th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students.)

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q26all-QN29)	20.9%	21.6%	22.3%	20.6%	19.5%	19.1%	18.1%	25.3%	18.9%	21.6%	23.0%	26.7%
First use of chewing tobacco or snuff under age 13 (Q35all-QN91)	10.6%	11.4%	8.1%	10.6%	11.0%	6.9%	9.0%	9.2%	6.7%	9.9%	11.1%	16.7%
First drink of alcohol under age 13 (Q38all-QN40)	24.3%	26.3%	23.4%	24.2%	21.0%	22.0%	19.0%	22.7%	17.9%	27.8%	29.4%	33.3%
First time tried marijuana under age 13 (Q46all-QN45)	3.3%	8.0%	11.3%	5.1%	6.9%	6.3%	7.1%	12.9%	7.3%	3.9%	8.9%	11.0%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q51all-QN97)	4.3%	4.9%	5.5%	4.9%	3.2%	4.3%	5.8%	8.3%	3.9%	3.3%	5.7%	5.1%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

12th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used.)

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q26use-QN29use)	29.9%	31.1%	33.3%	31.4%	28.9%	31.2%	27.9%	36.5%	29.6%	33.6%	33.3%	37.1%
First use of chewing tobacco or snuff under age 13 (Q35use-QN91use)	24.3%	27.2%	22.8%	26.3%	18.5%	20.9%	27.2%	21.7%	23.9%	24.3%	28.7%	30.6%
First drink of alcohol under age 13 (Q38use-QN40use)	27.5%	30.3%	27.2%	27.4%	24.7%	25.7%	22.1%	24.2%	22.0%	32.1%	33.1%	36.2%
First time tried marijuana under age 13 (Q46use-QN45use)	7.3%	15.9%	18.4%	12.6%	13.2%	12.5%	15.0%	22.2%	14.5%	10.4%	16.3%	24.6%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q51use-QN97use)	32.9%	48.1%	44.3%	45.3%	29.8%	35.7%	52.5%	69.1%	39.7%	35.7%	42.2%	33.3%

12th Grade: Other Risk Behaviors

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Wear a seat belt always or most of the time (Q9-QN9_ND)	49.5%	48.1%	52.0%	44.6%	46.6%	51.2%	30.5%	42.2%	58.4%	39.6%	53.5%	41.3%
Drank 3 or more glasses of milk per day (Q74-QN79)	21.9%	23.9%	19.2%	27.5%	17.7%	24.5%	19.7%	17.7%	22.3%	28.4%	25.7%	31.6%
Ate 5 or more fruits and vegetables each day in the past seven days (Q68 through Q73-QNFRVG)	17.2%	17.1%	15.5%	15.5%	14.0%	13.0%	14.4%	16.9%	17.3%	15.2%	15.5%	14.2%
Drank more than 12 ounces of sweetened beverage per day (Q77-QN103)	58.2%	50.4%	55.6%	50.8%	53.4%	53.0%	55.5%	51.6%	51.7%	52.1%	53.9%	64.5%
Ate breakfast 5 or more days in the past week (Q76-QN102_ND)	40.6%	36.6%	38.5%	45.1%	38.5%	32.3%	41.3%	42.9%	43.3%	46.8%	43.5%	42.6%
Ate a meal with their family yesterday (Q78-QN104)	47.3%	44.7%	42.0%	50.4%	45.8%	46.5%	44.6%	36.3%	50.2%	53.5%	45.9%	50.4%
Didn't do the <u>minimum</u> amount of either vigorous (Q80) or moderate (Q81) physical activity (Qnminpa)	38.8%	37.9%	33.7%	40.4%	34.7%	33.9%	41.6%	42.5%	38.5%	36.4%	32.6%	37.0%
Didn't do <u>any</u> vigorous (Q80) or moderate (Q81) physical activity (Qnnpa)	11.1%	8.5%	7.4%	10.5%	8.4%	5.7%	12.0%	11.7%	9.0%	12.1%	6.6%	8.9%
Did take physical education class daily (Q84-QN84_ND)	18.8%	23.3%	34.8%	16.9%	8.3%	13.6%	20.7%	23.0%	29.8%	18.6%	39.4%	33.9%
Watched TV (Q82) and played video games (Q83) 2 hours or less per day (R82R83-R83R106)	51.1%	53.1%	53.0%	50.5%	56.4%	51.2%	47.9%	59.3%	51.2%	45.6%	49.1%	56.3%
Brushed teeth on all of the past 7 days (Q89-QN109)	75.9%	77.4%	77.8%	79.4%	77.8%	80.0%	78.5%	76.4%	78.0%	80.2%	77.7%	86.9%

FINAL 2003 North Dakota YRBS Results - High School (Grades 9-12)

12th Grade: Other Risk Behaviors

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Was taught about HIV/AIDS in school (Q90-QN87)	88.6%	92.4%	91.4%	88.3%	90.5%	86.0%	84.4%	93.6%	88.2%	87.9%	93.5%	88.4%
Have talked about HIV/AIDS with parent or other adults in their family (Q91-QN110)	44.1%	43.3%	45.6%	39.1%	37.5%	35.2%	42.5%	53.2%	37.2%	34.0%	45.7%	54.4%
Have <u>never</u> had sexual intercourse in lifetime (Q92-QN58_ND)	37.6%	36.1%	36.7%	39.1%	40.2%	33.1%	31.7%	28.9%	44.7%	45.9%	39.7%	36.9%
Sexual abstinence is at least an important priority (Q93-QN111_ND)	42.0%	43.6%	42.9%	43.5%	45.6%	39.7%	40.1%	45.6%	48.9%	44.9%	40.1%	35.3%
Have <u>not</u> had sexual intercourse in past 3 months (Q96-QN61_ND)	52.6%	51.1%	51.6%	53.0%	54.5%	51.4%	46.9%	48.0%	56.6%	57.9%	51.6%	51.9%